



DECORATIVE

OPULENCE™

GLASS MOSAICS

 **daltile®**
IMAGINE WHAT'S POSSIBLE™



Photo features Opal 5/8 x random linear mosaic on the wall.

Linear Luxury

Jewel tone colors and a random linear glass tile pattern make Opulence a stunning addition to backsplashes and feature walls. Easy to clean and tolerant of outdoor extremes, this wall tile stays lustrous and on-trend over many years.


- ARTISTIC DETAILS
 - 10 jewel tone colors to enliven walls in any space including outdoors
 - 3/8 inch random linear pattern for on-trend design
 - Interlocking edges for seamless feature wall application
- DURABLE BEAUTY
 - Glass tile on the wall withstands extreme temperatures for classy outdoor entertaining
 - Easy to clean so it makes a great backsplash
 - Makes a statement that is timeless



PRE-CONSUMER
RECYCLED MATERIALS

Professional
TILE SOLUTIONS


GLASS MOSAICS



DIAMOND OP01



SILK OP04




GEMSTONE OP07



SANDSTONE OP10



AMBER OP09




RUBY OP05



AQUAMARINE OP02



OPAL OP06



INDIGO OP03




ONYX OP08

DECORATIVE

OPULENCE™

GLASS MOSAICS

SIZES

			Thickness	Sq. Ft. per Carton	Pieces per Carton
	3/8 x Random Linear Mosaic (Mesh-mounted)	(11-5/8" x 11-5/8" Sheet) (29.50 cm x 29.20 cm Sheet)	1/8"	10.76	10

APPLICATIONS


	Suitable
Floors	
Walls/Backsplashes	✓
Countertops	
Pool Linings	

APPLICATION NOTES:

Suitable for exterior applications in freezing and non-freezing climates when proper installation methods are followed.

Suitable for use in wet areas such as shower walls.

INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8" Approximately	 High (V3) to Random (V4)

TEST RESULTS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 100 lbs.
Scratch Hardness	MOHS	4.0
Chemical Resistance	C650	Resistant

NOTES

Strong random shading enhances the natural beauty of this product. To achieve optimal results, tile should be selected from multiple cartons and shading arrangement planned prior to installation.

Since there are variations in all glass products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile samples or color reproductions. Manufactured in accordance with ANSI A137.2 standards.

For additional information refer to "Factors to Consider" at daltille.com/Factors.



DESIGNED TO HELP EARN LEED™ CREDITS. For more detailed information, visit daltillegreenworks.com.



SCAN QR CODE FOR PRODUCT INFORMATION

Get a QR Code reader at: GET.DALTILE.COM



7834 C. F. Hawn Freeway, Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile® products and information, visit our website at daltille.com.



IMAGINE WHAT'S POSSIBLE™

©2017 Daltile (1/17)