



DECORATIVE

**SERENADE™**

GLASS MOSAICS

 **daltile®**  
IMAGINE WHAT'S POSSIBLE™



Cover and above photos feature Serenade™ Sixth Street on the fireplace.

## Create Walls that Steal the Scene

Make your room sing with the rich colors of Serenade. These dramatic glass mosaics feature random widths and lengths of linear glass in a wide range of colors. Serenade is available in twelve blends, all offering a perfect performance in your next design.

- IMPRESSIVE PERFORMANCE
  - Decorative random linear glass mosaics
  - Ideal for adding a dramatic touch to walls, backsplashes and fireplaces
- CONCERT OF COLORS
  - Available in 12 color blends
  - Colors blends range from neutral combinations to vibrant harmonies

*Professional*  
TILE SOLUTIONS

RANDOM INTERLOCKING MOSAIC



SURF ROCK F192



BROADWAY F185



MUSIC CITY F183



RANCHERA F184




SIXTH STREET F182



BLUE GRASS F190



INDIE F186




CRESCENT CITY F191




TECHNO F188



MOTOR CITY F187



MEMPHIS BLUES F181




EMERALD CITY F189

DECORATIVE

# SERENADE™

GLASS MOSAICS

## SIZES

			Thickness	Sq. Ft. per Carton	Pieces per Carton
	Random Interlocking Mosaic (Mesh-mounted)	(13-23/32" x 12-5/16" Sheet) (34.80 cm x 31.30 cm Sheet)	5/8"	19.20	20

\*Tile is available by special order.


## APPLICATIONS

	Suitable
Floors	
Walls/Backsplashes	✓
Countertops	
Pool Linings	

### APPLICATION NOTES:

Suitable for exterior applications in freezing and non-freezing climates when proper installation methods are followed.

## INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8" Approximately	 Random (V4)

## TEST RESULTS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 100 lbs
Scratch Hardness	MOHS	4.0
Chemical Resistance	C650	Resistant

## NOTES

Since there are variations in all fired glass products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile samples or color reproductions. Manufactured in accordance with ANSI A137.2 standards.

For additional information refer to "Factors to Consider" at [daltile.com/Factors](http://daltile.com/Factors).



DESIGNED TO HELP EARN LEED™ CREDITS. For more detailed information, visit [daltilegreenworks.com](http://daltilegreenworks.com).

SCAN QR CODE FOR PRODUCT INFORMATION

Get a QR Code reader at: [GET.DALTILE.COM](http://GET.DALTILE.COM)



7834 C. F. Hawn Freeway, Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile® products and information, visit our website at [daltile.com](http://daltile.com).



IMAGINE WHAT'S POSSIBLE™

©2016 Daltile (11/16)